

ANALYTICA CHIMICA ACTA, VOL. 263 (1992)

AUTHOR INDEX

- Akiyama, M., see Yokoyama, K. 101
 Arryanto, Y.
 — and Bark, L.S.
 Reineckate ions as a precipitant for the determination of trace amounts of polyacrylamides in potable waters 119
- Barceló, D.
 Mass spectrometry in environmental organic analysis 1
 Bark, L.S., see Arryanto, Y. 119
 Barth, P.
 —, Krivan, V. and Hausbeck, R.
 Cross-interferences of hydride-forming elements in hydride-generation atomic absorption spectrometry 111
 Branica-Jurković, G., see Simeon, V. 37
- Chapoteau, E., see Czech, B.P. 159
 Chemnitius, G.C.
 —, Suzuki, M., Isobe, K., Kimura, J., Karube, I. and Schmid, R.D.
 Thin-film polyamine biosensor: substrate specificity and application to fish freshness determination 93
 Chimenti, M.Z., see Czech, B.P. 159
 Couturier, R., see Merchie, B. 85
 Czech, B.P.
 —, Chapoteau, E., Chimenti, M.Z., Zazulak, W., Gebauer, C.R. and Kumar, A.
 Chromogenic lithium cryptahemispheraplexes for determination of sodium in aqueous solutions 159
- Dinkel, D.M.
 — and Lytle, F.E.
 Remote two-photon excited fluorescence sensing in a simulated fermentation broth 131
 Dobčnik, D., see Vončina, D.B. 147
- Fernandez-Romero, J.M., see Luque de Castro, M.D. 43
- Gebauer, C.R., see Czech, B.P. 159
 Girard, A., see Merchie, B. 85
 Gomišček, S., see Vončina, D.B. 147
- Hausbeck, R., see Barth, P. 111
 Hitchman, M.L.
 — and Ramanathan, S.
 Thermally grown iridium oxide electrodes for pH sensing in aqueous environments at 0 and 95°C 53
 Huber, C.O., see Zie, Y. 63
- Isobe, K., see Chemnitius, G.C. 93
- Janowicz, K., see Kurzawa, J. 155
- Karube, I., see Chemnitius, G.C. 93
 Karube, I., see Yokoyama, K. 101
 Keller, H.R.
 — and Massart, D.L.
 Artefacts in evolving factor analysis-based methods for peak purity control in liquid chromatography with diode-array detection 21
 —, Massart, D.L., Liang, Y.Z. and Kvalheim, O.M.
 Evolving factor analysis in the presence of heteroscedastic noise 29
- Kimura, J., see Chemnitius, G.C. 93
 Kirichenko, T.I., see Lukyanenko, N.G. 169
 Krivan, V., see Barth, P. 111
 Kumar, A., see Czech, B.P. 159
 Kurzawa, J.
 —, Janowicz, K. and Kurzawa, Z.
 Determination of microgram amounts of cyanide by the induced iodine-azide reaction with the use of sodium tetrathionate 155
- Kurzawa, Z., see Kurzawa, J. 155
 Kvalheim, O.M., see Keller, H.R. 29
- Lee, S.M., see Yokoyama, K. 101
 Liang, Y.Z., see Keller, H.R. 29
 Lin, Y.
 — and Wallace, G.G.
 Development of a polymer-based electrode for selective detection of dichloramine 71
- Lukyanenko, N.G.
 —, Titova, N.Yu., Nesterenko, N.L., Kirichenko, T.I. and Scherbakov, S.V.
 Cation selectivity of poly(vinyl chloride) membranes based on cryptands with thiourea fragments 169
- Luque de Castro, M.D.
 — and Fernandez-Romero, J.M.
 Total and individual determination of creatine kinase isoenzyme activities by flow injection and liquid chromatography 43
 Lytle, F.E., see Dinkel, D.M. 131
- Maisterrena, B., see Merchie, B. 85
 Martinez, D., see Sanchez-Pedreño, C. 143
 Massart, D.L., see Keller, H.R. 21, 29
 Masuda, Y., see Yokoyama, K. 101

- McLellan, A.C.
— and Thornalley, P.J.
Synthesis and chromatography of 1,2-diamino-4,5-dimethoxybenzene, 6,7-dimethoxy-2-methylquinoxaline and 6,7-dimethoxy-2,3-dimethylquinoxaline for use in a liquid chromatographic fluorimetric assay of methylglyoxal 137
- Merchie, B.
—, Girard, A., Maisterrena, B., Michalon, P. and Cou-
turier, R.
Reliable amperometric determination of glycerol and gly-
cerol-3-phosphate with a bienzymatic nylon membrane
electrode 85
- Michalon, P., see Merchie, B. 85
- Miller, G.H., see Pal, T. 175
- Nakajima, K., see Yokoyama, K. 101
- Nesterenko, N.L., see Lukyanenko, N.G. 169
- Nie, L., see Wei, W. 77
- Ortuño, J.A., see Sanchez-Pedreño, C. 143
- Pal, A., see Pal, T. 175
- Pal, T.
—, Pal, A., Miller, G.H. and Vo-Dinh, T.
Passive dosimeter for monitoring ammonia vapor 175
- Pavković, D., see Simeon, V. 37
- Ramanathan, S., see Hitchman, M.L. 53
- Sanchez-Pedreño, C.
—, Ortuño, J.A. and Martinez, D.
Selective kinetic determination of traces of gold by elec-
trodeposition on a piezoelectric detector 143
- Scherbakov, S.V., see Lukyanenko, N.G. 169
- Schmid, R.D., see Chemnitius, G.C. 93
- Simeon, V.
—, Pavković, D. and Branica-Jurković, G.
Principal components and Procrustean analyses of strip-
ping voltammograms 37
- Suzuki, M., see Chemnitius, G.C. 93
- Suzuki, S., see Yokoyama, K. 101
- Tamiya, E., see Yokoyama, K. 101
- Thornalley, P.J., see McLellan, A.C. 137
- Titova, N.Yu., see Lukyanenko, N.G. 169
- Uchiyama, S., see Yokoyama, K. 101
- Vo-Dinh, T., see Pal, T. 175
- Vončina, D.B.
—, Dobčnik, D. and Gomišček, S.
Hydrolytic precipitation titrations followed by a glass elec-
trode 147
- Wallace, G.G., see Lin, Y. 71
- Wei, W.
—, Nie, L. and Yao, S.
Multi-component analysis in solution using piezoelectric
quartz sensors. Part II. Determination of aspirin and sali-
cylic acid in aqueous solutions 77
- Yao, S., see Wei, W. 77
- Yokoyama, K.
—, Lee, S.M., Tamiya, E., Karube, I., Nakajima, K.,
Uchiyama, S., Suzuki, S., Akiyama, M. and Masuda, Y.
Mediated glucose sensor using a cylindrical microelectrode
101
- Zazulak, W., see Czech, B.P. 159
- Zie, Y.
— and Huber, C.O.
Constant-current enhanced potentiometric stripping analy-
sis 63